ELSEVIER

Volume 488, Numbers 1–2, 22 February 1995

Journal of Organometallic Chemistry

Contents

Preface vii

Review

Electronic interactions in organometallic dimers. An electrochemical approach
D. Osella, L. Milone, C. Nervi and M. Ravera (Torino, Italy) 1

Short Reviews

Structures of polymetallaorganosiloxanolates — a novel class of organosilicon metal complexes
Yu.T. Struchkov and S.V. Lindeman (Moscow, Russia). 9

Synthesis of cluster compounds by photolysis of azido complexes
J. Strähle (Tübingen, Germany) 15

Regular Papers

Catalytic carbonylation of benzylic and allylic bromides by a rhodium zwitterionic complex under phase transfer catalysis conditions
S. Amaratunga and H. Alper (Ottawa, Canada) 25

Instability of 15-electron Cp^*MoCl_2L (L = 2-electron donor) derivatives. X-ray structure of $Cp^*MoCl_2(PMe_2Ph)_2$ and $[Cp^*MoCl_2(PMe_2Ph)_2]AlCl_4$
F. Abugideiri, D.W. Keogh, H.-B. Kraatz (College Part, MD, USA), W. Pearson (Annapolis, MD, USA) and R. Poli (College Park, MD, USA) 29

New mono- and di-phosphido-bridged Pd^I dimers. Formation of tertiary dialkyl(allyl) phosphines from an allyl complex with a secondary phosphine
P. Leoni, M. Pasquali (Pisa, Italy), T. Beringhelli, G. D'Alfonso and A.P. Minoja (Milano, Italy) 39

A new cyclopentadiene and its use as a ligand for catalytically active rhodium complexes
M. Costa, F.S. Dias, G.P. Chiusoli and G.L. Gazzola (Parma, Italy). 47

The different behaviour of the di-2-pyridylketone 2-thenoylhydrazone in two organotin compounds. Synthesis, X-ray structure and biological activity
M. Carcelli, C. Pelizzi, G. Pelizzi, P. Mazza and F. Zani (Parma, Italy) 55

Dialkylaminophosphorus metal carbonyls. 12. Insertion of phosphorus, sulfur, and selenium into the $(^iPr_2NP)_2Fe_2(CO)_6$ unit and a novel product from the reaction of $(^iPr_2NP)_2COFe_2(CO)_6$ with $PhBCl_2$
Y.W. Li, M.G. Newton and R.B. King (Athens, GA, USA) 63

Reductive carbonylations reactions of primary phosphine mono-η-cyclopentadienyltungsten (V) compounds
M.L.H. Green, X.M. Morise, A.H. Hamilton and A.N. Chernega (Oxford, UK). 73

Synthesis, X-ray structure and reactivity of cyclopalladated complexes of hydrazones of 1*H*-indole-3-carboxaldehyde
S. Tollari, G. Palmisano, F. Demartin, M. Grassi, S. Magnaghi and S. Cenini (Milano, Italy) 79

Ruthenium carbonyl complexes with polyfunctional phosphine ligands
U. Bodensieck, H. Vahrenkamp (Freiburg, Germany), G. Rheinwald and H. Stoeckli-Evans (Neuchâtel, Switzerland). 85

Chemoselective reduction of α,β-unsaturated ketones catalyzed by transition metal complexes with polydentate ligands
C. Bianchini, M. Peruzzini (Firenze, Italy), E. Farnetti, J. Kašpar and M. Graziani (Trieste, Italy) 91

Water-soluble organometallic compounds. 5. The regio-selective catalytic hydrogenation of unsaturated aldehydes to saturated aldehydes in an aqueous two-phase solvent system using 1,3,5-triaza-7-phosphaadamantane complexes of rhodium
D.J. Darensbourg, N.W. Stafford (College Station, TX, USA), F. Joó (Debrecen, Hungary) and J.H. Reibenspies (College Station, TX, USA) 99

Surface organometallic chemistry: the easy conversion of $[Ir_6(CO)_{16}]$ supported on silica into $[Ir_4(CO)_{12}]$
D. Roberto, E. Cariati, R. Psaro and R. Ugo (Milano, Italy). 109

Anchoring rhodium(I) on benzoylthiourea-functionalized silica xerogels. Production of recyclable hydroformylation catalysts and the crystal structure of the model compound [Rh(cod)(Hbztu)Cl]
D. Cauzzi, M. Lanfranchi, G. Marzolini, G. Predieri, A. Tiripicchio, M. Costa (Parma, Italy) and R. Zanoni (Roma, Italy) 115

Preparation of α-vinylidene-γ-lactones by palladium-catalyzed carbonylation of 5-hydroxy-2-alkynyl methyl carbonates under mild conditions
T. Mandai, Y. Tsujiguchi, S. Matsuoka, S. Saito and J. Tsuji (Okayama, Japan) 127

Synthesis of dinuclear iron and ruthenium aminoalkylidene complexes and the molecular structure of the novel *cis*-$[Ru_2(CO)_2(Cp)_2\{\mu\text{-}C(CN)N(Me)Bz\}_2]$ ($Cp = \eta\text{-}C_5H_5$; $Bz = CH_2Ph$)
V.G. Albano, L. Busetto, L. Carlucci, M.C. Cassani, M. Monari and V. Zanotti (Bologna, Italy) 133

A novel class of hexanuclear titanoxanes: synthesis, structure and electronic configuration
T. Carofiglio, C. Floriani (Lausanne, Switzerland), A. Roth (New York, NY, USA), A. Sgamellotti, M. Rosi (Perugia, Italy), A. Chiesi-Villa and C. Rizzoli (Parma, Italy) 141

The geometry of SiOCN and SiNCO linkages. The crystal structures of $(Me_3Si)_2(Ph_2MeSi)CSiMe_2OCN$ and $(PhMe_2Si)_3CSiMe_2NCO$
S.S. Al-Juaid, A.A.K. Al-Nasr, G.A. Ayoko, C. Eaborn and P. Hitchcock (Brighton, UK) 155
Kinetics and mechanism of H_2-hydrogenation of styrene catalyzed by $[RuCl(dppb)(\mu\text{-}Cl)]_2$ (dppb = 1,4-bis(diphenylphosphino)butane). Evidence for hydrogen transfer from a dinuclear molecular hydrogen species
A.M. Joshi, K.S. MacFarlane and B.R. James (Vancouver, Canada) 161
Vinylidene transition metal complexes. XXXIV. The preparation and structure of neutral vinylidene and allenylidene ruthenium(II) compounds of the half-sandwich type containing $^{i}Pr_2PCH_2CO_2Me$ as supporting ligand
T. Braun, P. Steinert and H. Werner (Würzburg, Germany) 169
Oxidative η^2-iminoacyl formation by reaction of amidozirconocene complexes with tris(pentafluorophenyl)borane
B. Temme and G. Erker (Münster, Germany) 177
Pd_4 Clusters: the sensitivity of the cluster metal core geometry to the surrounding ligands
I.I. Moiseev (Moscow, Russia) 183
A novel enantiopure proline-based organonickel(III) halide monocation with a pentadentate C, N_2, O_2-bonded bis(*ortho*-chelating) aryldiamine ligand
L.A. Van de Kuil, Y.S.J. Veldhuizen, D.M. Grove, J.W. Zwikker, L.W. Jenneskens, W. Drenth, W.J.J. Smeets, A.L. Spek and G. Van Koten (Utrecht, The Netherlands) 191
Octahedral iridium carbonyl clusters. Synthesis, characterization and solid state structure of the nitrosyl cluster $[Ir_6(CO)_{11}(\mu\text{-}CO)_3NO]^-$
R. Della Pergola, L. Garlaschelli, M. Manassero and N. Masciocchi (Milano, Italy) 199
Donor–acceptor-based vinylidene and σ-acetylide complexes of ruthenium and osmium
A.J. Hodge, S.L. Ingham (Cambridge, UK), A.K. Kakkar (Montreal, Canada), M.S. Khan, J. Lewis, N.J. Long (Cambridge, UK), D.G. Parker (Middlesborough, UK) and P.R. Raithby (Cambridge, UK) 205
Novel, CO_2-promoted synthesis of anhydrous alkylammonium tetraphenylborates: a study on their reactivity as intra- and inter-molecular proton-transfer agents
M. Aresta and E. Quaranta (Bari, Italy) 211
The reactions of tridentate cationic palladium(II) complexes with olefins and nucleophiles
H.-B. Kraatz and D. Milstein (Rehovot, Israel) 223
Determination of the absolute configurations of the epimers of the P-chiral phosphine $Ph_2PCH_2CH_2P^*Ph$(*L*-(–)-menthyl) by use of two-dimensional NMR spectroscopy in combination with a palladium(II) "reporter complex"
Q. Jiang, H. Rüegger and L.M. Venanzi (Zürich, Switzerland) 233
Transformation of the bis(trimethylsilyl)methyl into a 1,3-diaza-allyl ligand. Synthesis and crystal structures of $[\overline{K\{N(R)C(Ar)NC(Ar)CHR\}(NCAr)}]_2$ and $[\{UCl(\mu\text{-}Cl)(L)(NR)\}_2][UCl_2(L)(L')]_2$[R = $SiMe_3$; Ar = $C_6H_3Me_2$-2,5; L = $\overline{N(R)C(Ph)C(H)C(Ph)NR}$; L' = $\overline{N(R)C(Ph)NC(Ph)CHR}$].
P.B. Hitchcock, M.F. Lappert and D.-S. Liu (Brighton, UK) 241
Rhodium(III) complexes of (*EEE*)-1,5,9-Cyclododecatriene. Syntheses, structures and absolute configurations of derivatives of *catena*-poly-[μ-dichloro-(1,2,12-η)-1,5,8 cyclododecatrienylrhodium]
G. Paiaro, L. Pandolfo (Padova, Italy), P. Ganis (Napoli, Italy), G. Valle and S.D. Fioretto (Padova, Italy) 249

Preliminary Communications
The role of SO_2 as a ligand to mediate associative substitution reactions of some 18-electron molybdenum complexes
J.K. Shen, F. Basolo (Evanston, IL, USA) and G.J. Kubas (Los Alamos, NM, USA) C1
Structural and spectral characterization of novel charge-transfer salts of polyoxometalates and the cationic ferrocenyl donor
P.L. Veya and J.K. Kochi (Houston, TX, USA) C4
Synthesis of methacrylate monomers from alkynes and arenealkenylruthenium(II) catalyst
O. Lavastre and P.H. Dixneuf (Rennes, France) C9
Vinyl-plus-vinyl coupling in rhodium complexes: formation of $[(C_5Me_5)RhBr(\eta^3\text{-}syn\text{-}1\text{-methylallyl})]$ by reaction of $[(C_5Me_5)RhBr_2(Me_2SO)]$ with vinylmagnesium bromide in homogeneous solution
Z.-Q. Wang, M.L. Turner, A.R. Kunicki and P.M. Maitlis (Sheffield, UK) C11
Cis-(hydrido)hydrocarbylplatinum(IV) complexes as intermediates in the Pt^{II}–C bond breaking
V. De Felice (Campobasso, Italy), A. De Renzi, A. Panunzi and D. Tesauro (Napoli, Italy) C13
Oxidative carbonylation of methanol to dimethyl carbonate (DMC): a new catalytic system
D. Delledonne, F. Rivetti (San Donato Milanese, Italy) and U. Romano (Novara, Italy) C15
Hydroformylation of some functionalized olefins catalyzed by rhodium(I) complexes with pydiphos and its *P*-oxide
C. Basoli (Sassari, Italy), C. Botteghi (Venezia, Italy), M.A. Cabras, G. Chelucci and M. Marchetti (Sassari, Italy) C20

Author Index C23

Subject Index C25

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.